

N97-0354


Wiring Harness Connector Stations

Connector station on bulkhead


Pos.	Function	Connector color
1	- O2S cyl. 1-3	black
2	- O2S cyl. 4-6	green
3	- O2S after TWC cyl. 1-3	black
4	- O2S after TWC cyl. 4-6	green
5	- O2S after TWC cyl. 10-12	grey
6	- O2S after TWC cyl. 7-9	brown
6	- O2S cyl. 10-12	grey
6	- O2S cyl. 7-9	brown

**Connector stations on A-pillars****Connector station - left lower A-pillar**

- |   |   |       |  |
|---|---|-------|--|
| 1 | - | open  |  |
| 2 | - | open  |  |
| 3 | - | red   |  |
| 4 | - | beige |  |
| 5 | - | black |  |


**Connector station - right lower A-pillar**

- |   |   |       |  |
|---|---|-------|--|
| 1 | - | open  |  |
| 2 | - | open  |  |
| 3 | - | red   |  |
| 4 | - | beige |  |
| 5 | - | black |  |



**Connector stations on B-pillars****Connector station - left B-pillar**

1	-	yellow
2	-	white
3	-	yellow
4	- open	
5	-	red
6	-	
7	-	

**Connector station - right B-pillar**

1	-	yellow
2	-	white
3	-	yellow
4	- open	
5	-	red
6	-	
7	-	

